

Applicant: Guang dong YiTeng Building Materials Limited
Address: Mei Yin international 5th floor 2nd building 506-507 unit ,Cai Hong Road, west district, Zhongshan city,
Guangdong Province

Sample information:

Sample name: Tan Tu Diatom mud

Model: /

Sample composition/raw material (supplied by client): Refer to section 3 of the MSDS"Composition/Information on Ingredient"

Edit period: From June 19, 2018 to June 21, 2018

Test Requested: As specified by the client, to edit Material Safety Data Sheet (MSDS) for the submitted sample.

Shanghai Changyin Testing Technology Co.,Ltd

Approved by 

Shanghai Changyin Testing Technology Co.,Ltd

Room 1018, V6 Times Business Building, No.16, Xinyuan Road, Anting Town, Jiading District, Shanghai
Tel:+86-021-61842208, Fax:+86-021-61842208 E-mail:qtc@changyin-lab.com, <http://www.changyin-lab.com>

Material Safety Data Sheet (MSDS)

In accordance with GHS Rev. 7. and The EU CLP REGULATION (EC) No 1272/2008

Section 1 - Chemical Product and Company Identification

1.1 Product Identification:

Product Name: Tan Tu Diatom mud
Product Model: /

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Tan Tu Diatom mud
Use advised against: No data available.

1.3 Details of the Manufacture or supplier

Manufacture: Changchun Xinyi Tu Technology Co., Ltd.
Address: Dongyutun Dongyutun Yujia Village Hexin Town Lv'yuan community Changchun City Jilin Province
Telephone: +86-431-84453897
Fax: +86-431-84453897
Email: 112835124@QQ.COM

1.4 Emergency telephone number

Emergency Telephone: +86-431-84453897

Section 2 - Hazards Identification

2.1 Classification of the substance or mixture

GHS Classification: Skin irritation (Category 2), H315
Serious eye damage (Category 1), H318
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

2.2 GHS Label elements, including precautionary statements

GHS Labels:

Pictogram(s):

Signal Word:

Danger

Hazard Statement:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Precautionary statement(s)
Prevention precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/ eye protection/ face protection.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

Response Precautionary Statements:

P303+P361+P353 If on skin(or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P332+313 If skin irritation persists get medical advice/attention.

P304+P340 If inhaled, Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P304+312 Call a POISON CENTER or doctor/physician if you feel unwell.

P305+P351+P338+P310 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do, continue rinsing. Call a POISON CENTER or doctor/physician immediately.

Storage Precautionary Statements:

P405: Store locked up

P403+233: Store in a well ventilated place. Keep container tightly closed

Disposal Precautionary Statements:

P501: Dispose of contents and container in accordance with local/regional/national /international regulations.

2.3 Description of any hazards not otherwise classified

None. See section 11 for more detailed information on health effects and symptoms.

Section 3 - Composition/Information on Ingredient

 Substance () Preparation () Article ()

Composition:

Chemical name	CAS No.	Content (%)
Diatomite	61790-53-2	30
Calcium oxide	1305-78-8	25
Heavy calcium carbonate	471-34-1	15

Shanghai Changyin Testing Technology Co.,Ltd

 Room 1018, V6 Times Business Building, No.16, Xinyuan Road, Anting Town, Jiading District, Shanghai
 Tel:+86-021-61842208, Fax:+86-021-61842208 E-mail:qtc@changyin-lab.com, http://www.changyin-lab.com

Quartz powder	7631-86-9	25
Dispersible latex powder	-	5

Abbreviation: CAS No. is Chemical Abstract Service Registry Number.

Section 4 - First Aid Measures

4.1 Description of first aid measures:

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If irritation occurs and persists, contact a doctor immediately.

Skin Contact: Remove and isolate contaminated clothing and shoes. Wash off with soap and plenty of water. If irritation occurs and persists, contact a doctor.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Contact a physician if discomfort or coughing, breathing difficulties.

Ingestion: If the person is conscious, wash out mouth with water. drink adequate milk or egg white. Never give anything by mouth to an unconscious person. Consult a physician attention and get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 -Extinguishing media

5.1 Extinguishing media

Suitable extinguishing media: This product does not burn. Choose extinguishing media appropriate for surrounding fire.

5.2 Special hazards arising from the substance or mixture

Overheat may produce decomposition products: carbon oxides, etc. With strong corrosive.

5.3 Advice for firefighters

Evacuate personnel to safe areas. As in any fire, Wear self-contained breathing apparatus and full protective gear for firefighting.

5.4 Further information

According to the standard chemical firefighting measures. Choose extinguishing method appropriate for surrounding fire. Keep fire fighting run-off water out of sewers and water sources.

Section 6 - Accidental Release Measures

For guidance on selection of personal protective equipment see Chapter 8 of this Material Safety Data Sheet. See Chapter 13 for information on disposal. Observe the relevant local and international regulations.

6.1 Personal precautions, protective equipment and emergency procedures:

Evacuate area. Ventilate area. Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Avoid contact with skin and eyes. For personal protection see section 8.

6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up:

Do not create dust. Sweep up and shovel. Keep in suitable, closed containers for disposal or recycle. For disposal see section 13.

Section 7 - Handling and Storage

7.1 Precautions for safe handling:

Use in well-ventilated area. Use appropriate, approved safety equipment.
 Avoid contact with skin and eyes. Avoid formation of dust and aerosols.
 Provide appropriate exhaust ventilation at places where dust is formed.
 Keep container tightly closed when not in use.
 Wash thoroughly after handling. Remove contaminated clothing and wash before reuse.
 Do not eat, drink or smoke at the workplace.
 For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities:

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Store away from acid, strong oxides and foodstuffs.

Section 8 - Exposure Controls, Personal Protection

8.1 Exposure Limits: Not established.

Substance	CAS No.	OSHA PEL	NIOSH REL	ACGIH
Calcium hydroxide	1305-62-0			
Total dust		TWA: 15 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³

Respirable fraction		TWA: 5 mg/m ³	-	-
---------------------	--	--------------------------	---	---

8.2 Exposure controls

Engineering Control: General industrial hygiene practice. Provide appropriate exhaust ventilation at places where dust is formed.

Personal protective equipment:

Respiratory Protection: Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eyes Protection: Use face shield and safety glasses if in-eye risk exists. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Body Protection: Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hands Protection: Handle with chemical-resistant gloves. Use proper glove removal technique(without touching glove's outer surface) to avoid skin contact with this product.

Other Protections: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Powder/Pulp
Color	White
Odor	Odorless
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not applicable. This product does not burn.
Evaporation rate	Not applicable.
Flammability	This product does not burn.
Upper explosive limit %(V/V)	Not applicable.
Lower explosive limit %(V/V)	Not applicable.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.

Shanghai Changyin Testing Technology Co.,Ltd

Room 1018, V6 Times Business Building, No.16, Xinyuan Road, Anting Town, Jiading District, Shanghai
 Tel:+86-021-61842208, Fax:+86-021-61842208 E-mail:qtc@changyin-lab.com, <http://www.changyin-lab.com>

Solubility(ies)	Partly soluble in water
Partition coefficient: n-octanol/water	Not available.
Ignition temperature	Not applicable.
Decomposition temperature	Not available.
Viscosity	Not available.

Section 10 - Stability and Reactivity

10.1 Stability: Stable under normal storage temperature and pressure.

10.2 Conditions to Avoid: No data available.

10.3 Incompatible materials: Acid.

10.4 Hazardous Decomposition Products: Other decomposition products- no data available. In the event of fire:see section 5.

10.5 Possibility of hazardous reactions: None hazardous reactions known under normal condition.

Section 11 - Toxicological Information

Acute Toxicity:	No data available.
Skin Corrosion/Irritation:	Cause skin irritation.
Serious Eye Damage/Eye Irritation:	Cause serious eye damage.
Respiratory or Skin Sensitization	No sensitizing effects known.
Germ Cell Mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity:	None of the components of this product is listed as a carcinogen by IARC, NTP, US OSHA or the European Directive (67/548/EEC).
Reproductive Toxicity:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxicity - Single Exposure (Globally Harmonized System):	May cause respiratory irritation.
Specific Target Organ Toxicity - Repeated Exposure (Globally Harmonized System):	No known human health effects upon repeated exposure.
Aspiration Hazard:	Based on available data, the classification criteria are not met.
Potential Health Effects:	
Inhalation:	Inhaling dust may cause respiratory irritation.
Skin Contact:	Cause skin irritation.
Eye Contact:	Cause serious eye damage.
Ingestion:	Not an expected route of exposure. Harmful if ingested.

Shanghai Changyin Testing Technology Co.,Ltd

Room 1018, V6 Times Business Building, No.16, Xinyuan Road, Anting Town, Jiading District, Shanghai
 Tel:+86-021-61842208, Fax:+86-021-61842208 E-mail:qtc@changyin-lab.com, http://www.changyin-lab.com

Section 12 - Ecological Information

12.1 Toxicity

No data available

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

May be harmful to aquatic organisms. Do not release into drains.

Section 13 - Disposal Considerations

Waste treatment methods

Product

Recycle if possible. Offer surplus and non-recyclable products to a licensed disposal company. Observe according to the national and local related regulations.

Contaminated packaging

Empty containers may have hazardous material left. Recycle or disposal according to the national and local related regulations.

Section 14 - Transport Information

14.1 UN Number:

ADR/RID, IMDG, IATA Not regulated as dangerous goods.

14.2 UN proper shipping name:

ADR/RID, IMDG, IATA Not dangerous goods

Shanghai Changyin Testing Technology Co.,Ltd

Room 1018, V6 Times Business Building, No.16, Xinyuan Road, Anting Town, Jiading District, Shanghai
Tel:+86-021-61842208, Fax:+86-021-61842208 E-mail:qtc@changyin-lab.com, <http://www.changyin-lab.com>

14.3 Transport hazard class(es):

ADR/RID, IMDG, IATA Not regulated as dangerous goods.

14.4 Packing group:

ADR/RID, IMDG, IATA Not regulated as dangerous goods.

14.5 Environmental hazards: No.

14.6 Special precautions for user: No information available.

Section 15 - Regulatory Information

EU Regulations

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

US Regulations

TSCA Inventory Status: All of the components of this product are listed or exempt from the TSCA inventory.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

California Prop 65: not listed.

Canadian Regulations

DSL /NDSL Status: All components of this product are on the Canadian DSL list.International Chemical Substances list.

Section 16 - Additional Information

Abbreviations:

pH- Relates to hydrogen ion concentration - this value will relate to a scale of 0 - 14, where 0 is highly acidic and 14 is highly alkaline

OSHA- Occupational Safety and Health Administration

Shanghai Changyin Testing Technology Co.,Ltd

Room 1018, V6 Times Business Building, No.16, Xinyuan Road, Anting Town, Jiading District, Shanghai
Tel:+86-021-61842208, Fax:+86-021-61842208 E-mail:qtc@changyin-lab.com, <http://www.changyin-lab.com>

NTP-	National Toxicology Program
IARC-	International Agency for Research on Cancer
CAS#-	Chemical Abstract Service number - used to uniquely identify chemical compounds
ACGIH-	The American Conference of Governmental Industrial Hygienists
ADR-	Agreement on Dangerous Goods by Road
IATA -	International Air Transport Association
IMDG-	International Maritime Dangerous Goods

Further Information:

-This safety data sheet was prepared in accordance with UN GHS Rev.7, The EU CLP REGULATION (EC) No 1272/2008, and US OSHA Hazard Communication Standards (29 CFR 1910.1200).

-The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

Department Issuing MSDS: Guang dong YiTeng Building Materials Limited

Issue Date: June 21, 2018

End of MSDS

Applicant: Guang dong YiTeng Building Materials Limited
Address: Mei Yin international 5th floor 2nd building 506-507 unit ,Cai Hong Road, west district, Zhongshan city,
Guangdong Province

Sample information:

Sample name: Diatom Water Base Coating

Model: /

Sample composition/raw material (supplied by client): Refer to section 3 of the MSDS"Composition/Information on Ingredient"

Edit period: From June 19, 2018 to June 21, 2018

Test Requested: As specified by the client, to edit Material Safety Data Sheet (MSDS) for the submitted sample.

Shanghai Changyin Testing Technology Co.,Ltd

Approved by 

Shanghai Changyin Testing Technology Co.,Ltd

Room 1018, V6 Times Business Building, No.16, Xinyuan Road, Anting Town, Jiading District, Shanghai
Tel:+86-021-61842208, Fax:+86-021-61842208 E-mail:qtc@changyin-lab.com, <http://www.changyin-lab.com>

Material Safety Data Sheet (MSDS)

In accordance with GHS Rev. 7. and The EU CLP REGULATION (EC) No 1272/2008

Section 1 - Chemical Product and Company Identification

1.1 Product Identification:

Product Name: Diatom Water Base Coating
Product Model: /

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Diatom Water Base Coating
Use advised against: No data available.

1.3 Details of the Manufacture or supplier

Manufacture: Changchun Xinyi Tu Technology Co., Ltd.
Address: Dongyutun Dongyutun Yujia Village Hexin Town Lv'yuan community Changchun City Jilin Province
Telephone: +86-431-84453897
Fax: +86-431-84453897
Email: 112835124@QQ.COM

1.4 Emergency telephone number

Emergency Telephone: +86-431-84453897

Section 2 - Hazards Identification

2.1 Classification of the substance or mixture

GHS Classification: Skin irritation, category 2,
Serious eye damage, category 1

2.2 GHS Label elements, including precautionary statements

GHS Labels:
Pictogram(s):



Signal Word: Danger

Hazard Statement:	H315: Causes skin irritation. H318: Causes serious eye damage.
Precautionary statement(s)	
Prevention precautionary statements:	P264: Wash thoroughly after handling. P280: Wear protective gloves /face protection.
Response Precautionary Statements:	P302+P352: IF ON SKIN: Wash with soap and water. P332+P313: If skin irritation occurs: Get medical advice/attention. P362: Take off contaminated clothing and wash before reuse. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing P310: Immediately call a POISON CENTER or doctor/physician.
Storage Precautionary Statements:	None.
Disposal Precautionary Statements:	None.

2.3 Description of any hazards not otherwise classified

None. See section 11 for more detailed information on health effects and symptoms.

Section 3 - Composition/Information on Ingredient

Substance () Preparation () Article ()

Composition:

Chemical name	CAS No.	Content (%)
Diatomite	61790-53-2	15
Calcium Hydroxide	1305-62-0	15
Heavy calcium carbonate	471-34-1	30
Polyvinyl acetate emulsion	9003-20-7	40

Abbreviation: CAS No. is Chemical Abstract Service Registry Number.

Section 4 - First Aid Measures

4.1 Description of first aid measures:

- Eye Contact:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If eye irritation continues, contact a doctor. Continually wash on road to hospital.
- Skin Contact:** Wash off with soap and plenty of water. If skin irritation continues, contact a doctor.
- Inhalation:** If feel unwell, Remove to fresh air and keep at rest in a position comfortable for breathing.

Shanghai Changyin Testing Technology Co.,Ltd

Room 1018, V6 Times Business Building, No.16, Xinyuan Road, Anting Town, Jiading District, Shanghai
 Tel:+86-021-61842208, Fax:+86-021-61842208 E-mail:qtc@changyin-lab.com, http://www.changyin-lab.com

Contact a physician if still discomfort.

Ingestion: If the person is conscious, wash out mouth with water and drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2 and section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 -Extinguishing media

5.1 Extinguishing media

Suitable extinguishing media: Water spray, Dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media: None known.

5.2 Special hazards arising from the substance or mixture

Overheat may produce decomposition products: carbon oxides, etc..

5.3 Advice for firefighters

Evacuate personnel to safe areas. As in any fire, Wear self-contained breathing apparatus and full protective gear for firefighting.

5.4 Further information

No data available.

Section 6 - Accidental Release Measures

For guidance on selection of personal protective equipment see Chapter 8 of this Material Safety Data Sheet. See Chapter 13 for information on disposal. Observe the relevant local and international regulations.

6.1 Personal precautions, protective equipment and emergency procedures:

Evacuate area. Ventilate area. Avoid direct contact with spillage. Avoid inhaling concentrated vapor. Use suitable personal protective equipment.

6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not let large undiluted product enter drains.

6.3 Methods and materials for containment and cleaning up:

Small quantities may be contained by inert material(sand, diatomite, acid binders, universal binders, sawdust). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Gather the spilled product and keep in suitable, closed containers for recycle or disposal (see section 13).

Section 7 - Handling and Storage

7.1 Precautions for safe handling:

The usual precautionary measures for handling chemicals should be followed.

Use appropriate, approved safety equipment as in section 8.

Wash thoroughly after handling.

Keep container tightly closed when not in use.

Do not eat, drink or smoke at the workplace.

7.2 Conditions for safe storage, including any incompatibilities:

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Store away from foodstuffs. Do not store together with strong oxidizing agent, acid. Equip with accidental release equipment in storage area.

Section 8 - Exposure Controls, Personal Protection

8.1 Exposure Limits: Not established.

8.2 Exposure controls

Engineering Control: General industrial hygiene practice. Provide safe shower and eye wash fountain.

Personal protective equipment:

Respiratory Protection: Not required under normal usage. Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

Eyes Protection: Use face shield and safety glasses if in-eye risk exists. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Body Protection: Normal general work suit is enough. If liquid splash exists, wear chemical resistant complete suit, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hands Protection: Handle with chemical-resistant gloves.

Other Protections: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Emulsions
Color	White
Odor	Odorless
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability	Not flammable. Incombustible.
Upper explosive limit %(V/V)	Not applicable.
Lower explosive limit %(V/V)	Not applicable.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Miscible with water
Partition coefficient: n-octanol/water	Not available.
Ignition temperature	Not applicable.
Decomposition temperature	Not available.
Viscosity	Not available.

Section 10 - Stability and Reactivity

10.1 Stability: Stable under normal storage temperature and pressure.

10.2 Conditions to Avoid: Heat, flames and mars.

10.3 Incompatible materials: Strong oxidizing agents, acid.

10.4 Hazardous Decomposition Products: Other decomposition products- no data available. In the event of fire:see section 5.

10.5 Possibility of hazardous reactions: None hazardous reactions known under normal condition.

Section 11 - Toxicological Information

Acute Toxicity:

Ingredient	CAS No.	LD50-Rat-Oral	LC50-Rat-inhalation	LD50-Rabbit-skin
Calcium Hydroxide	1305-62-0	7340mg/kg	-	-

Shanghai Changyin Testing Technology Co.,Ltd

Room 1018, V6 Times Business Building, No.16, Xinyuan Road, Anting Town, Jiading District, Shanghai
 Tel:+86-021-61842208, Fax:+86-021-61842208 E-mail:qtc@changyin-lab.com, <http://www.changyin-lab.com>

Skin Corrosion/Irritation:	Cause skin irritation.
Serious Eye Damage/Eye Irritation:	Cause serious eye damage.
Respiratory or Skin Sensitization	No sensitizing effects known.
Germ Cell Mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity:	None of the components of this product is listed as a carcinogen by IARC, NTP, US OSHA.
Reproductive Toxicity:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxicity - Single Exposure (Globally Harmonized System):	Based on available data, the classification criteria are not met.
Specific Target Organ Toxicity - Repeated Exposure (Globally Harmonized System):	Based on available data, the classification criteria are not met.
Aspiration Hazard:	Based on available data, the classification criteria are not met.
Potential Health Effects:	
Inhalation:	Long-term inhalation concentrated vapors may cause respiratory irritation.
Skin Contact:	Cause skin irritation.
Eye Contact:	Cause serious eye damage.
Ingestion:	May be harmful if ingested.

Section 12 - Ecological Information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No bioaccumulative potential

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Harmful to aquatic organism.

Section 13 - Disposal Considerations

Waste treatment methods

Product

As in big quantity, Recycle if possible. Offer surplus and non-recyclable products to a licensed disposal company. Observe according to the national and local related regulations.

Contaminated packaging

Disposal as unused product after empty.

Section 14 - Transport Information

14.1 UN Number:

ADR/RID, IMDG, IATA Not regulated as dangerous goods.

14.2 UN proper shipping name:

ADR/RID, IMDG, IATA Not dangerous goods

14.3 Transport hazard class(es):

ADR/RID, IMDG, IATA Not regulated as dangerous goods.

14.4 Packing group:

ADR/RID, IMDG, IATA Not regulated as dangerous goods.

14.5 Environmental hazards: No.

14.6 Special precautions for user: No information available.

Section 15 - Regulatory Information

EU Regulations

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Skin irritation, category 2,

Serious eye damage, category 1

US Regulations

USA SARA

SARA 302 Components

Shanghai Changyin Testing Technology Co.,Ltd

Room 1018, V6 Times Business Building, No.16, Xinyuan Road, Anting Town, Jiading District, Shanghai
Tel:+86-021-61842208, Fax:+86-021-61842208 E-mail:qtc@changyin-lab.com, <http://www.changyin-lab.com>

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components (Specific toxic chemical listings)

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Section 16 - Additional Information

Abbreviations:

- pH- Relates to hydrogen ion concentration - this value will relate to a scale of 0 - 14, where 0 is highly acidic and 14 is highly alkaline
- OSHA- Occupational Safety and Health Administration
- NTP- National Toxicology Program
- IARC- International Agency for Research on Cancer
- CAS#- Chemical Abstract Service number - used to uniquely identify chemical compounds
- ACGIH- The American Conference of Governmental Industrial Hygienists
- ADR- Agreement on Dangerous Goods by Road
- IATA - International Air Transport Association
- IMDG- International Maritime Dangerous Goods

Further Information:

-This safety data sheet was prepared in accordance with UN GHS Rev.7, The EU CLP REGULATION (EC) No 1272/2008, and US OSHA Hazard Communication Standards (29 CFR 1910.1200).

-The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

Department Issuing MSDS: Guang dong YiTeng Building Materials Limited

Issue Date: June 21, 2018

End of MSDS